

I CLAIM:

1. A composition for treating plants in a body of soil, comprising:

substantially any combination of water solution stable macronutrients and/or micronutrients of substantially any concentration and/or concentrations.

2. The composition of claim 1, further comprising:

a plant promoting effective amount of solution stable Ca^{++} moieties;

a plant promoting effective amount of solution stable S^{6+} moieties;

a plant promoting effective amount of solution stable Mg^{++} moieties; and,

a plant promoting effective amount of solution stable N^{3-} moieties.

3. The composition of claim 2, wherein said solution stable moieties are a reaction product formed from the reaction of:

a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution stable Sulfamate, and combinations thereof; and,

a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.

4. The composition of claim 2, wherein the solution stable moieties are formed by reacting effective amounts of:

at least one member selected from the group consisting of:

a powdered micronutrient metal, a powdered macronutrient metal, Dolomite, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide), Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnatellite (Hydrated Magnesium Iron Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite (Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate

Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis (tributylammonium) dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II) hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide, Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and,

at least one sulfamic compound, selected from the group consisting of a compound of the formula (II):



wherein:

R^4 and R^5 are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of R^4 or R^5 is hydrogen;

a compound of the formula (III):



wherein:

R^1 is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl,

R^2 is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; R^3 , R^4 and R^5 are hydrogen; and n is an integer from 1 to 3; and,

combinations thereof.

5. The composition according to claim 1, further comprising a plant promoting effective amount of water.
6. A substantially pure CO_2 product formed by the reaction process of claim 2.
7. A composition for restoring the concentration of at least one essential micronutrient or macronutrient to desirable levels in a body of soil, comprising:

substantially any combination of water solution stable macronutrients and/or micronutrients of substantially any concentration and/or concentrations.

8. The composition of claim 7, further comprising:

a plant promoting effective amount of solution stable Ca^{++} moieties;

a plant promoting effective amount of solution stable S^{6+} moieties;

a plant promoting effective amount of solution stable Mg^{++} moieties; and,

a plant promoting effective amount of solution stable N^{3-} moieties.

9. The composition of claim 8, wherein said solution stable moieties are a reaction product formed from the reaction of:

a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution stable Sulfamate, and combinations thereof; and

a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.

10. The composition of claim 8 further comprising:

a compensating amount of said micronutrient or macronutrient included in a solution stable compound formed by the reaction of effective amounts of:

at least one member selected from the group consisting of:

Dolomite, a powdered micronutrient metal, a powdered macronutrient metal, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite

(Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide),
 Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium
 Magnesium Carbonate), Brugnattellite (Hydrated Magnesium Iron Carbonate Hydroxide),
 Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite
 (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite
 (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate),
 Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate),
 Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium
 Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium
 Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite
 (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite
 (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite
 (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide),
 Malachite (Copper Carbonate Hydroxide), Monohydrocalcite (Hydrated Calcium
 Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite
 (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron
 Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide),
 Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel
 Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc
 Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate
 Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate
 Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide),
 Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite

Variable	Mean	SD	Min	Max
Age	34.5	10.2	21	55
Gender	1.2	0.4	1	2
Marital status	1.5	0.5	1	3
Education	12.5	1.5	9	16
Income	15.2	3.8	10	25
Occupation	1.8	0.8	1	3
Health status	1.5	0.5	1	3
Stress level	2.5	1.2	1	4
Life satisfaction	3.5	1.5	1	5
Resilience	4.5	1.5	1	6
Optimism	3.5	1.5	1	5
Self-efficacy	4.5	1.5	1	6
Emotional stability	3.5	1.5	1	5
Prosocial behavior	3.5	1.5	1	5
Empathy	3.5	1.5	1	5
Agreeableness	3.5	1.5	1	5
Conscientiousness	3.5	1.5	1	5
Neuroticism	3.5	1.5	1	5
Openness	3.5	1.5	1	5
Extraversion	3.5	1.5	1	5
Intelligence	100	15	80	120
Memory	85	10	70	100
Attention	75	10	60	90
Processing speed	65	10	50	80
Verbal ability	90	10	75	105
Nonverbal ability	85	10	70	100
Overall cognitive score	80	10	65	95

at least one sulfamic compound selected from the group consisting of:

a compound of the formula (II):



wherein:

R⁴ and R⁵ are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of R⁴ or R⁵ is hydrogen;

a compound of the formula (III):



wherein:

R¹ is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl,

R² is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; R³, R⁴ and R⁵ are hydrogen; and, n is an integer from 1 to 3; and,

combinations thereof.

11. The composition according to claim 7, wherein said reaction product is water-soluble.

12. The composition according to claim 7, further comprising a plant promoting effective amount of water.

13. A substantially pure CO₂ product formed by the reaction process of claim 7.

14. A composition for treating living cells, comprising:

substantially any combination of water solution stable macronutrients and/or micronutrients of substantially any concentration and/or concentrations.

15. The composition of claim 14, further comprising:

a cell promoting effective amount of solution stable Ca^{++} moieties;

a cell promoting effective amount of solution stable S^{6+} moieties;

a cell promoting effective amount of solution stable Mg^{++} moieties; and,

a cell promoting effective amount of solution stable N^{3-} moieties.

16. The composition of claim 14, wherein said solution stable moieties are a reaction product formed from the reaction of:

a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution stable Sulfamate, and combinations thereof; and,

a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.

17. The composition of claim 15, wherein the solution stable moieties are formed by reacting effective amounts of :

at least one member selected from the group consisting of:

Dolomite, a powdered micronutrient metal, a powdered macronutrient metal, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide),

Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnatellite (Hydrated Magnesium Iron Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite (Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-

butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis(tributylammonium) dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II) hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide, Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and,

at least one sulfamic compound, selected from the group consisting of:

a compound of the formula (II):



wherein:

R⁴ and R⁵ are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of R⁴ or R⁵ is hydrogen;

a compound of the formula (III):



wherein:

R¹ is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl,

R² is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; R³, R⁴ and R⁵ are hydrogen; and n is an integer from 1 to 3; and,

combinations thereof.

18. The composition according to claim 14, further comprising a cell promoting effective amount of water.

19. The composition according to claim 14, wherein said composition is encapsulated.

20. The composition according to claim 14, wherein said cells are selected from the group consisting of living cells, animal cells, plant cells and combinations thereof.